

# STANLEY®

## POWER TOOLS CATALOGUE 2015



# STANLEY®

## 1843

The Stanleyworks, originally a bolt and door hardware manufacturing company located in New Britain, Connecticut; was founded in 1843 by Frederick T. Stanley




**1863**  
STANLEY introduced hammers

**1876**  
Miter boxes were introduced



**1921**  
A new logo is introduced to symbolize the merger of the STANLEY Rule & Level Company and the STANLEY Works



**1940**  
STANLEY's fleet of Rollorama coaches carried more than 1,300 sample items to retailers



## 1844

Began to manufacture ivory and boxwood rules

## 1870

STANLEY began manufacturing screwdrivers and hand planes



## 1857

STANLEY Rule & Level Company established by Henry Stanley begins to manufacture levels



## 1900

Rules & Level is the largest manufacturer of planes and related tools in the world

## 1924

STANLEY filed a patent for the ratcheting screwdriver

## 1930

STANLEY made the first steel tape rule



## 1920

The STANLEY Rule and Level Company merged with The Stanley Works to become its famous Hand Tools Division



## 1937

Henry Phillips, inventor of Phillips head screw choose STANLEY as the first company to begin making Phillips screwdrivers

## 1921

STANLEY manufactured its first utility knife



## 1954

Time Magazine published a cover story titled "Do-It-Yourself-The New Million Dollar Hobby". STANLEY was ideally positioned to benefit from this trend and quickly developed products for this new market



## 1969

The Power Lock Tape Rule represented STANLEY as a part of Apollo 11's Lunar Landing Gear

## 1980

The Stanleyworks was presented the American Eagle Award from the American Supply & Machinery Manufacturers 'Associ.Inc.' for its "unusual across-the-board quality"



## 2006

STANLEY acquires Facom® industrial hand and 1980 mechanics tools.



## STANLEY

## 2013

STANLEY launches new logo

## 2015

STANLEY launches automotive line & white series short meter

## 1963

STANLEY opens the largest hand tool plant in the world in New Britain, CT. The same year the Power Lock Tape Rule was introduced



## 1998

STANLEY goes into plastic storage business, including tool boxes



## 1970

STANLEY began producing manual staplers

## 2011

STANLEY launches Carbide blades



## 2008

STANLEY re-introduces Sweetheart planes



## 1999

Stanley launches the FatMax Tape Rule and the FatMax Anti Vibe Hammer



## 2014

The STANLEY 19" Metal Toolbox Wins a Good Design Award for 2014



## 2015

STANLEY launches STANLEY branded power tools & accessory lines



# STANLEY®

## GETTING THE JOB DONE **FASTER, EASIER, BETTER**

From Power Tools to Hand Tools and Accessories, Stanley is the only brand providing a wholesome solution for all tradesmen.

For over 170 years, we've built a legacy by producing some of the most well known hand tools and storage products in the world. It's this rich history of innovation that's made Stanley a trusted name and industry pioneer.

We provide complete selection of power tools, hand & mechanic tools, accessories, lasers and storage solutions with great innovation:



# STANLEY®

STANLEY is the longest established and largest hand tool manufacturer in the world.

Since 1843, STANLEY has become a leading name in hand tool industry; we've set the standard for excellence in everything we do. No company on earth has a stronger or more compelling history of delivering the hardworking, powerful and innovational tools that help professionals, tradesmen and consumers around the world.

Whether you're a retailer looking for the best quality products to offer your customers, or a skilled user looking for the best tools, STANLEY is here to serve you.



More than **500**  
World's  
First SKUs

More than **150**  
Patents

More than **150**  
Prestigious  
Awards





# CONTENTS

## CORDLESS

Drill Drivers 9

## DRILLING & FASTENING

Rotary Drills 11

Percussion Drills 11

## CONCRETE WORKING

SDS-Plus & Chipping Hammers 13-14

Demolition Hammers 15

Tile Cutters 15

## METAL WORKING

Small Angle Grinders 17-18

Large Angle Grinders 18 - 19

Bench Grinders 20

Chop Saws 20

## WOOD WORKING

Planers 22

## OTHERS

Heat Guns 24

Blowers 24

Service & Warranty 25

# CORDLESS



**STANLEY cordless drills are designed for strong performance, quality and precision. The lithium-ion range also boasts about their compact size and light weight. Well suited for challenging drilling and screw driving tasks, the range is quintessential for the tradesman.**

## STCD1081B2 10.8V Li-Ion Compact Drill




- Compact and lightweight design allows end-user to carry out long drilling tasks more easily
- Li-Ion battery holds charge when not in use, so less need for recharging
- 20 adjustable torque setting for perfect screwdriving into a variety of materials with different screw sizes
- Two speed settings, variable speed and reverse switch
- Keyless chuck for quick and easy bit change
- Ergonomic handle and rubber over mould to provide maximum end user comfort
- LED light for improved visibility
- Kitbox for safe storage of power tool and all accessories

Voltage	10.8V
Battery Capacity	1.5 Ah
Max Torque	27 Nm
No Load Speed	0-315/0-1200 rpm
Chuck Capacity	10 mm
Max. Drilling Capacity	
Wood	25 mm
Metal	10 mm
Weight	1.1 kg

### Standard Equipment

2 Batteries, 3hr Charger, Magnetic strip  
Kitbox



# DRILLING & FASTENING



**STANLEY** offers a definitive range of corded drills and a screw-gun for every tradesman need – internal or external. With a choice of power options, chuck capacities, gear configurations and speed variations, no need to look further for your pick.


## STDR5510 550W 10mm Rotary Drill



- Durable chuck prevents bit loose during operation
- Adjustable variable speed dial allows to pre-set speeds for more control
- Durable powerful motor for excellent performance and long durability
- Ergonomic hold curve for easy one hand operation
- Reverse function for convenient screw driving
- Lock-on button for one hand control and user safety
- Integrated belt clip allows tool to be carried while freeing up both hands
- Key holder to securely maintain chuck key

Power Input	550 W
Chuck Capacity	1.5-10 mm
Max Torque	14 Nm
No Load Speed	0-2800 rpm
Max. Drilling Capacity	
Wood	25 mm
Steel	10 mm
Weight	1.55 kg

**Standard Equipment**  
Chuck key




## STDH7213K 720W 13mm Percussion Drill



- Hammer action for drilling into brick and masonry
- Durable chuck prevents bit loose during operation
- Durable metal gear housing for a long life
- Adjustable variable speed dial control with forward and reverse mode to suit different materials
- High working efficiency due to excellent rotary and impact speed
- Lock-on button for one hand control and user safety
- Rubber grips for maximum user comfort
- Side handle to provide additional control
- Depth guide for making correct measurement
- Kitbox for safe storage of power tool and all accessories

Power Input	720 W
Chuck Capacity	1.5-13 mm
Max Torque	22 Nm
No Load Speed	0-3000 rpm
Beats per Minute	0-54000 bpm
Max. Drilling Capacity	
Wood	32 mm
Steel	13 mm
Masonry	16 mm
Weight	2.4 kg

**Standard Equipment**  
Chuck key, Depth guide, Side handle, Kitbox



# CONCRETE WORKING



**Highly durable and best-in-class performance – two traits of the STANLEY Concrete range. While the full range of rotary hammers with the SDS-Plus chuck configuration provides excellent power to weight ratio, the demolition hammers with a choice between SDS-Max and Hex Chuck is designed to give comfort during long usages.**


## STHR202K 20mm 620W 2 Mode SDS-Plus Hammer



- Ideal for drilling anchor and fixing holes into concrete and masonry up to 20mm in diameter
- 2 Modes: Rotary drilling and hammer drilling
- Safety clutch eliminates sudden high-torque reaction should the bit jam
- Electronic variable speed for total control in any application
- Ergonomic rubber grip handle for improved comfort in long duration usage
- Rounded ergonomic industrial design allows easy and comfortable handling in any application
- 2 Finger switch for long duration fatigue free usage
- Side handle for easy 2 hand operation
- Depth guide for drilling accurate pre-determined depths
- Heavy duty type kitbox for safe storage under job-side conditions

Power Input	620 W
No Load Speed	0-1250 rpm
Beats per Minute	0-3900 bpm
Impact Energy	1.34 J
Tool Holder	SDS-Plus
Max. Drilling Capacity	
Wood	25 mm
Metal	13 mm
Concrete	20 mm
Weight	2.8 kg

**Standard Equipment**  
Depth guide, Side handle, Kitbox



## STHR223K 22mm 720W 3 Mode SDS-Plus Hammer



- Ideal for drilling anchor and fixing holes into concrete and masonry up to 22mm in diameter
- 3 Modes: Rotary drilling, hammer drilling and chiseling mode for all job-site applications
- Safety clutch eliminates sudden high-torque reaction should the bit jam
- Electronic variable speed for total control in any application
- Ergonomic rubber grip handle for improved comfort in long duration usage
- Rounded ergonomic industrial design allows easy and comfortable handling in any application
- 2 Finger switch for long duration fatigue free usage
- Side handle for easy 2 hand operation
- Depth guide for drilling accurate pre-determined depths
- Heavy duty type kitbox for safe storage under job-side conditions

Power Input	720 W
No Load Speed	0-980 rpm
Beats per Minute	0-5200 bpm
Impact Energy	2 J
Tool Holder	SDS-Plus
Max. Drilling Capacity	
Wood	30 mm
Metal	13 mm
Concrete	22 mm
Weight	3 kg

**Standard Equipment**  
Depth guide, Side handle, Kitbox




## STHR272KS 26mm 850W 2 Mode L-Shape SDS-Plus Hammer



- With 4.1J of impact energy specially designed to deliver ultimate drilling and chipping power
- 2 Modes: Hammer drilling and chiseling
- Safety clutch eliminates sudden high-torque reaction should the bit jam
- L-Shape design provides compact and slim line tool to maximise control
- Textured handle grip for long duration easy usage
- 2 Finger switch for long duration fatigue free usage
- Carbon brush access caps for easy access and quick change
- Grease cap for easy grease top-up
- Side handle for easy 2 hand operation
- Heavy duty type kitbox for safe storage under job-side conditions

Power Input	850 W
No Load Speed	700 rpm
Beats per Minute	3400 bpm
Impact Energy	4.1 J
Tool Holder	SDS-Plus
Max. Drilling Capacity	
Concrete	26 mm
Weight	5.1 kg

**Standard Equipment**  
Depth guide, Side handle, Kitbox




## STHR323K 32mm 1250W 3 Mode L-Shape SDS-Plus Hammer



- Ideal for drilling anchor and fixing holes into concrete and masonry up to 32mm in diameter
- 3 Modes: Rotary drilling, hammer drilling and chiseling mode for all job-site applications
- Safety clutch eliminates sudden high-torque reaction should the bit jam
- Electronic variable speed for total control in any application
- Ergonomic rubber grip handle for improved comfort in long duration usage
- L-Shape design provides compact and slim line tool to maximise control
- 2 Finger switch for long duration fatigue free usage
- Service and brush wear indicators identifying brush replacement and service need
- Carbon brush access caps for easy access and quick change
- Heavy duty type kitbox for safe storage under job-side conditions

Power Input	1250 W
No Load Speed	0-850 rpm
Beats per Minute	0-4100 bpm
Impact Energy	3.5 J
Tool Holder	SDS-Plus
Max. Drilling Capacity	
Wood	40 mm
Metal	13 mm
Concrete	32 mm
Weight	5.4 kg

**Standard Equipment**  
Side handle, 13mm chuck, Kitbox



## STHM5KH 5kg Hex Chipping Hammer



- Hex chuck suitable for most common accessories
- Class-leading 1010W motor delivers outstanding performance for light demolition, surface preparation or chiseling
- Ergonomic and compact design maximises control and offers easy access to confined spaces
- Large hammer mechanism delivers extreme durability and excellent concrete breaking performance
- Modular design allows quick access to key components for faster and cheaper service
- Anti Vibration handle with spring delivers extremely low vibration and more comfort
- Rubber grip handle improve user comfort lowering fatigue during extended use
- 360 Degree side handle maintains user comfort in any application
- ON/OFF rocker switch for hassle-free continuous usage
- Carbon brush access caps for easy access and quick change

Power Input	1010 W
Beats per Minute	2900 bpm
Impact Energy	8.5 J
Tool Holder	Hex
Weight	6.3 kg

**Standard Equipment**  
1 Chisel, Side handle, Grease cap opener, Kitbox



## STHM10K 10kg SDS-Max Demolition Hammer



- Powerful and durable 1600 Watt motor delivers outstanding concrete breaking performance for all heavy demolition applications
- Ergonomic line design ensures user comfort during any application
- Large hammer mechanism delivers maximum durability and excellent concrete breaking performance
- Rubber grip handle improve user comfort lowering fatigue during extended use
- 360 Degree side handle maintains user comfort in any application
- Electronic variable speed and impact control dial for total control with smaller bits and light material
- Service indicator identifying brush replacement and service need
- ON/OFF rocker switch for hassle-free continuous usage
- Soft start feature ensures accurate clean breaking without chisel walking
- Heavy duty type kit box for safe storage under job-site conditions

Power Input	1600 W
Beats per Minute	900-1890 bpm
Impact Energy	5-25 J
Tool Holder	SDS-Max
Weight	10.5 kg

### Standard Equipment

1 Chisel, Side handle, Kitbox



## STSP125 1320W 125mm Tile Cutter



- Powerful 1320W motor for highest working efficiency
- 125mm capacity guard for all job-site applications
- High capacity gear set for less vibration, lower noise & longer life span
- Height adjustable shoe allows user to cut at various depths
- Soft handle grip for long duration easy usage
- Lock-off switch to prevent accidental action
- Lock-on button for fatigue-free continuous running
- Carbon brush access caps for easy access and quick change

Power Input	1320 W
Wheel Diameter	125 mm
Bore Size	20 mm
No Load Speed	13500 rpm
Depth of Cut	41 mm
Weight	3.1 kg

### Standard Equipment

Wrench, Key



# METAL WORKING



**Resulting in faster material removal while grinding and greater accuracies & comfort while cutting, the STANLEY high performance metal working tools have been developed to combine excellent power to weight characteristics with outstanding ergonomics. They deliver the versatility, power and life that is demanded by a tradesman.**

## STGS6100 600W 100mm Small Angle Grinder




- Powerful motor for carrying out a large variety of cutting and grinding tasks
- Compact housing shape design allows comfortable gripping resulting in superior ergonomics
- Long endurance by high quality commutator and durable carbon brush
- Spindle lock for quick and easy change of accessories
- Spiral bevel gears provide less vibration, lower noise level and longer life span
- Burst proof guard ensures maximum user safety
- On/Off slide switch for one hand control and user safety
- Optimized air vents for best cooling

Power Input	600 W
No Load Speed	12000 rpm
Max. Disc Diameter	100 mm
Spindle Thread	M10
Weight	1.55 kg

### Standard Equipment

Protective guard, Inner and outer disc flanges, Spanner



## STGS7100 710W 100mm Small Angle Grinder



- Powerful motor for carrying out a large variety of cutting and grinding tasks
- Compact housing shape design allows comfortable gripping resulting in superior ergonomics
- Long endurance by high quality commutator and durable carbon brush
- Spindle lock for quick and easy change of accessories
- Spiral bevel gears provide less vibration, lower noise level and longer life span
- Burst proof guard ensures maximum user safety
- On/Off slide switch for one hand control and user safety
- Optimized air vents for best cooling

Power Input	710 W
No Load Speed	11000 rpm
Max. Disc Diameter	100 mm
Spindle Thread	M10
Weight	1.8 kg

### Standard Equipment

Protective guard, Inner and outer disc flanges, Side handle, Spanner



## STGS9100 900W 100mm Small Angle Grinder




- Powerful motor for carrying out a large variety of cutting and grinding tasks
- Compact housing shape design allows comfortable gripping resulting in superior ergonomics
- Long endurance by high quality commutator and durable carbon brush
- Spindle lock for quick and easy change of accessories
- Spiral bevel gears provide less vibration, lower noise level and longer life span
- Burst proof guard ensures maximum user safety
- On/Off slide switch for one hand control and user safety
- Optimized air vents for best cooling

Power Input	900 W
No Load Speed	11000 rpm
Max. Disc Diameter	100 mm
Spindle Thread	M10
Weight	2.1 kg

### Standard Equipment

Protective guard, Inner and outer disc flanges, Side handle, Spanner



## STGS9125 900W 125mm Small Angle Grinder




- Powerful motor designed for heavy duty jobs to carry out a large variety of cutting and grinding tasks
- Compact housing shape design allows comfortable gripping resulting in superior ergonomics
- Long endurance by high quality commutator and durable carbon brush
- Spindle lock for quick and easy change of accessories
- Spiral bevel gears provide less vibration, lower noise level and longer life span
- Burst proof guard ensures maximum user safety
- On/Off slide switch for one hand control and user safety
- Optimized air vents for best cooling

Power Input	900 W
No Load Speed	11000 rpm
Max. Disc Diameter	125 mm
Spindle Thread	M14
Weight	2.2 kg

### Standard Equipment

Protective guard, Inner and outer disc flanges, Side handle, Spanner



## STGL2018 2000W 180mm Large Angle Grinder



- Powerful motor designed for professional applications
- Two step safety switch prevents accidental starts
- Multi-angle rotation gear box allows for ideal balance in surface and edge grinding applications
- Spindle lock for quick and easy change of accessories

Power Input	2000 W
No Load Speed	8500 rpm
Max. Disc Diameter	180 mm
Spindle Thread	M14
Weight	4.9 kg

### Standard Equipment

Protective guard, Inner and outer disc flanges, Side handle, Spanner



## STGL2218 2200W 180mm Large Angle Grinder




- Powerful motor designed for professional applications
- Two step safety switch prevents accidental starts
- Multi-angle rotation gear box allows for ideal balance in surface and edge grinding applications
- Spindle lock for quick and easy change of accessories

Power Input	2200 W
No Load Speed	8500 rpm
Max. Disc Diameter	180 mm
Spindle Thread	M14
Weight	5.9 kg

### Standard Equipment

Protective guard, Inner and outer disc flanges, Side handle, Spanner



## STGL2223 2200W 230mm Large Angle Grinder




- Powerful motor designed for professional applications
- Two step safety switch prevents accidental starts
- Multi-angle rotation gear box allows for ideal balance in surface and edge grinding applications
- Spindle lock for quick and easy change of accessories

Power Input	2200 W
No Load Speed	6500 rpm
Max. Disc Diameter	230 mm
Spindle Thread	M14
Weight	6 kg

### Standard Equipment

Protective guard, Inner and outer disc flanges, Side handle, Spanner




## STGB3715 373W 152mm Bench Grinder



- Powerful 373W motor
- Accepts cotton buffing and wire brush wheels
- Sturdy cast iron base with rubber mounts

Power Input	373 W
No Load Speed	3450 rpm
Wheel Diameter	152 mm
Wheel Width	16 mm
Bore Size	12.7 mm
Weight	8.6 kg

**Standard Equipment**  
2 Tool rest, 2 Eye shield



## STSC2135 2100W 355mm Chop Saw



- High power abrasion protected motor delivers high overload capabilities for greater durability
- Ergonomic design for a good handling and less user fatigue
- Quick release clamp results in less time in changing the work piece
- Spindle lock for quick and easy wheel change
- Adjustable spark guard allows user to control the direction of the sparks coming from the machine
- Heavy duty guard for maximum user protection

Power Input	2100 W
No Load Speed	3800 rpm
Wheel Diameter	355 mm
Max. Cutting Capacity at 90°	
Square Profile	115x115 mm
Rectangular Profile	115x130 mm
L-Shape Profile	115x137 mm
Rounded Profile	125 mm
Max. Cutting Capacity at 45°	
Square Profile	98x98 mm
Rectangular Profile	105x95 mm
L-Shape Profile	95 mm
Rounded Profile	115 mm
Weight	15.5 kg

**Standard Equipment**  
1 Wheel, Hex Wrench



# WOOD WORKING




**Resulting in fast and smooth operation with greater accuracies & comfort while performing the task, the STANLEY high performance wood working tools have been developed for excellent performance. They deliver the versatility, power and life that is demanded by a tradesman.**

## STPP7502 750W 2mm Planer



- Robust and powerful 750W motor provides smooth results, even in hard wood and at maximum depth of cut
- 2 high quality reversible TCT blades ensure maximum life and a superior finish
- The choice of left or right chip ejection makes the planer more comfortable to use
- 2mm depth of cut ensures a large amount of wood can be removed in one pass
- 0.2mm depth of cut setting for increased accuracy
- 12mm maximum rebate depth broadens the applications the planer can be used for
- Easy empty dust bag for more flexibility and a cleaner working environment
- 3 different sized chamfer grooves for easy and precise shaping of wood
- Park rest protects both the workpiece and the blades
- Parallel fence for more control and accuracy



Power Input	750 W
No Load Speed	16500 rpm
Maximum Depth of Cut	2 mm
Rebating Depth	12 mm
Planer Width	29 mm
Shoe Length	82 mm
Weight	2.8 kg

### Standard Equipment

2 TCT blades, Parallel fence, Wrench, Dust bag, Vac adaptor



# OTHERS




**STANLEY offers two versatile tools to be part of this popular range. A Heat Gun that is able to remove, solder, deform, etc and a Blower which can be used both as a blower and a vacuum.**

## STXH2000 2000W Variable Speed Heat Gun



- 2 speed heat gun with variable heat control giving maximum control in all heat gun applications
- Variable heat setting for material appropriate working and a large variety of applications
- Ergonomic handle design for comfortable use even over extended periods of time
- Lock-on switch for comfortable, hands-free use
- Standing facility allows using both hands for soldering or bending operations

Power Input	2000W
Operating Temperature	50-450 / 90-600 °C
Air Flow	300/500 l/min
Weight	0.8 kg



## STPT600 600W Variable Speed Blower




- 600W powerful motor for higher tool performance
- 2 Tools in 1: Blower and vacuum cleaner
- Light and compact design for ease of handling
- Optimized fan structure for better air flow
- Variable speed option for easy control of airflow
- Lock-on button for one hand control and user safety
- Rubber nozzle for greater flexibility during work
- Suction mode used in restricted application areas

Power Input	600 W
Air Flow	3.5 m <sup>3</sup> /min
No Load Speed	16000 rpm
Weight	1.7 kg

### Standard Equipment

Tube, Dust bag



# SERVICE & WARRANTY

## Service Information

STANLEY offers a full network of company-owned and/or authorized service agents throughout your country. All STANLEY Service Centers are staffed with trained personnel to provide customers with efficient and reliable power tool service. Whether you need technical advice, repair, or genuine factory replacement parts, contact the STANLEY location nearest to you.

## One Year Warranty

STANLEY is confident of the quality of its products and offers an outstanding guarantee. This warranty statement is in addition to and in no way prejudices your statutory rights. If a STANLEY product becomes defective due to faulty materials, workmanship or lack of conformity, within 12 months from the date of purchase STANLEY guarantees to replace defective parts, repair products subjected to fair wear and tear or replace such products to make sure of the minimum inconvenience to the customer. For more details regarding warranty conditions refer to instruction manual.







Dealer's Stamp

**Stanley Black & Decker India Limited**  
No.28, "Akemps", 3rd Main 1st Cross, Ashwini Layout, Koramangala  
Intermediate Ring Road, Bangalore-560 047.  
Tel: +91 80 66608800 Fax: +91 80 66608828.

**Customercare.India@sbdinc.com**

**Toll Free No. 1860-425-1111**